

ТАБЛИЦА ПРОИЗВЕДЕНИЙ РАСТВОРИМОСТИ

Источники: Лурье Ю.Ю. Справочник по аналитической химии. М., 1979. С. 92-101.

Соединение	ПР	-lg(ПР)
$\text{Ac}_2(\text{C}_2\text{O}_4)_3$	$2 \cdot 10^{-24}$	23.7
$\text{Ac}(\text{OH}_3)$ (свежеосажденная)	$2.1 \cdot 10^{-19}$	18.68
$\text{Ac}(\text{OH}_3)$ (после старения)	$1.3 \cdot 10^{-21}$	20.89
Ag_3AsO_3	$1 \cdot 10^{-17}$	17
Ag_3AsO_4	$1 \cdot 10^{-22}$	22
AgBO_2	$4 \cdot 10^{-3}$	2.4
AgBr	$5.3 \cdot 10^{-13}$	12.28
AgBrO_3	$5.5 \cdot 10^{-5}$	4.26
$\text{AgC}_2\text{H}_3\text{O}_2$	$4 \cdot 10^{-3}$	2.4
AgCN	$1.4 \cdot 10^{-16}$	15.84
Ag_2CO_3	$1.2 \cdot 10^{-12}$	11.09
$\text{Ag}_2\text{C}_2\text{O}_4$	$3.5 \cdot 10^{-11}$	10.46
AgCl	$1.78 \cdot 10^{-10}$	9.75
AgClO_2	$2 \cdot 10^{-4}$	3.7
AgClO_3	$5.0 \cdot 10^{-2}$	1.3
Ag_2CrO_4	$1.1 \cdot 10^{-12}$	11.95
$\text{Ag}_2\text{Cr}_2\text{O}_7$	$1 \cdot 10^{-10}$	10
$\text{Ag}_3\text{Co}(\text{CN})_6$	$3.9 \cdot 10^{-26}$	25.41
$\text{Ag}_3\text{Fe}(\text{CN})_6$	$1 \cdot 10^{-22}$	22
$\text{Ag}_4\text{Fe}(\text{CN})_6$	$8.5 \cdot 10^{-45}$	44.07
Ag_2HVO_4 (2Ag^+ , HVO_4^{2-})	$2 \cdot 10^{-14}$	13.7
AgI	$8.3 \cdot 10^{-17}$	16.08
AgIO_3	$3.0 \cdot 10^{-8}$	7.52
AgMnO_4	$1.6 \cdot 10^{-3}$	2.79
Ag_2MoO_4	$2.8 \cdot 10^{-12}$	11.55
AgN_3	$2.9 \cdot 10^{-9}$	8.54
AgNO_2	$6.0 \cdot 10^{-4}$	3.22
Ag_2O (Ag^+ , OH^-)	$1.6 \cdot 10^{-8}$	7.80
AgOCN	$2.3 \cdot 10^{-7}$	6.64
$\text{Ag}_2\text{PO}_3\text{F}$ (2Ag^+ , PO_3F^{2-})	$8.9 \cdot 10^{-4}$	3.05
Ag_3PO_4	$1.3 \cdot 10^{-20}$	19.89
AgReO_4	$7.95 \cdot 10^{-5}$	4.10
Ag_2S	$2.0 \cdot 10^{-50}$	49.7
AgSCN	$1.1 \cdot 10^{-12}$	11.97
Ag_2SO_3	$1.5 \cdot 10^{-14}$	13.82
AgSO_3NH_2 (Ag^+ , SO_3NH_2^-)	$1 \cdot 10^{-1}$	1
Ag_2SO_4	$1.6 \cdot 10^{-5}$	4.80
AgSeCN	$4.0 \cdot 10^{-16}$	15.40
Ag_2SeO_3	$9.8 \cdot 10^{-16}$	15.01
Ag_2SeO_4	$5.6 \cdot 10^{-8}$	7.25
AgVO_3	$5 \cdot 10^{-7}$	6.3
Ag_2WO_4	$5.5 \cdot 10^{-12}$	11.26
AlAsO_4	$1.6 \cdot 10^{-16}$	15.80
$\text{Al}(\text{OH})_3$ (Al^{3+} , 3OH^-)	$1 \cdot 10^{-32}$	32.0
$\text{Al}(\text{OH})_3$ (AlOH^{2+} , 2OH^-)	$1 \cdot 10^{-23}$	23.0
$\text{Al}(\text{OH})_3$ (H^+ , AlO_2^-)	$1.6 \cdot 10^{-13}$	12.80
AlPO_4	$5.75 \cdot 10^{-19}$	18.24
$\text{Am}(\text{OH})_3$	$2.7 \cdot 10^{-20}$	19.57
$\text{Am}(\text{OH})_4$	$1 \cdot 10^{-56}$	56

AuBr	$5.0 \cdot 10^{-17}$	16.3
AuBr₃	$4.0 \cdot 10^{-36}$	35.4
AuCl	$2.0 \cdot 10^{-13}$	12.7
AuCl₃	$3.2 \cdot 10^{-25}$	24.5
AuOH	$7.9 \cdot 10^{-20}$	19.1
Au(OH)₃	$5.5 \cdot 10^{-46}$	45.26
AuI	$1.6 \cdot 10^{-23}$	22.8
AuI₃	$1 \cdot 10^{-46}$	46
Ba₃(AsO₄)₂	$7.8 \cdot 10^{-51}$	50.11
Ba(BrO₃)₂	$5.5 \cdot 10^{-6}$	5.26
BaCO₃	$4.0 \cdot 10^{-10}$	9.40
BaC₂O₄	$1.1 \cdot 10^{-7}$	6.96
BaCrO₄	$1.2 \cdot 10^{-10}$	9.93
BaF₂	$1.1 \cdot 10^{-6}$	5.98
Ba₂Fe(CN)₆	$3 \cdot 10^{-8}$	7.5
Ba(IO₃)₂	$1.5 \cdot 10^{-9}$	8.82
BaMnO₄	$2.5 \cdot 10^{-10}$	9.60
BaMoO₄	$4 \cdot 10^{-8}$	7.40
Ba(OH)₂	$5.0 \cdot 10^{-3}$	2.3
BaPO₃F (Ba²⁺, PO₃F⁻)	$4 \cdot 10^{-7}$	6.4
Ba₃(PO₄)₂	$6 \cdot 10^{-39}$	38.22
Ba₂P₂O₇	$3 \cdot 10^{-11}$	10.5
BaPt(CN)₄	$4 \cdot 10^{-3}$	2.4
Ba(ReO₄)₂	$5.25 \cdot 10^{-2}$	1.28
BaSO₃	$8 \cdot 10^{-7}$	6.1
BaSO₄	$1.1 \cdot 10^{-10}$	9.97
BaS₂O₃	$1.6 \cdot 10^{-5}$	4.79
BaSeO₄	$5 \cdot 10^{-8}$	7.30
Be(OH)₂ (Be²⁺, 2OH⁻)	$6.3 \cdot 10^{-22}$	21.2
Be(OH)₂ (BeOH⁺, OH⁻)	$2 \cdot 10^{-14}$	13.7
BiAsO₄	$2.8 \cdot 10^{-10}$	9.36
Bi₂(C₂O₄)₂	$4 \cdot 10^{-36}$	35.4
BiI₃	$8.1 \cdot 10^{-19}$	18.09
BiOCl (BiO⁺, Cl⁻)	$7 \cdot 10^{-9}$	8.85
BiOCl (BiOH + H₂O ⇒ Bi³⁺ + 2OH⁻ + Cl⁻)	$1.8 \cdot 10^{-31}$	30.75
BiOOH (BiO⁺, OH⁻)	$4 \cdot 10^{-10}$	9.4
BiPO₄	$1.3 \cdot 10^{-23}$	22.90
Bi₂S₃	$1 \cdot 10^{-97}$	97
Ca₃(AsO₄)₂	$6.8 \cdot 10^{-19}$	18.17
CaC₄H₄O₆ (raprpar)	$7.7 \cdot 10^{-7}$	6.11
CaCO₃	$3.8 \cdot 10^{-9}$	8.42
CaC₂O₄	$2.3 \cdot 10^{-9}$	8.64
CaCrO₄	$7.1 \cdot 10^{-4}$	3.15
CaF₂	$4.0 \cdot 10^{-11}$	10.40
CaHPO₄ (Ca²⁺, HPO₄²⁻)	$2.7 \cdot 10^{-7}$	6.57
Ca(HPO₄)₂ (Ca²⁺, 2HPO₄⁻)	$1 \cdot 10^{-3}$	3
Ca(IO₃)₂	$7.0 \cdot 10^{-7}$	6.15
Ca(NH₄)₂Fe(CN)₆	$4 \cdot 10^{-8}$	7.4
Ca(OH)₂ (Ca²⁺, 2OH⁻)	$5.5 \cdot 10^{-6}$	5.26
Ca(OH)₂ (CaOH⁺, OH⁻)	$1.4 \cdot 10^{-4}$	3.86
Ca₃(PO₄)₂	$2.0 \cdot 10^{-29}$	28.70
CaPO₃F (Ca²⁺, PO₃F²⁻)	$4 \cdot 10^{-3}$	2.4
Ca₅(PO₄)₃OH	$1.6 \cdot 10^{-58}$	57.8

CaSO ₃	3.2·10 ⁻⁷	6.5
CaSO ₄	2.5·10 ⁻⁵	4.6
CaSeO ₃	4.7·10 ⁻⁶	5.53
CaSiF ₆	8.1·10 ⁻⁴	3.09
CaWO ₄	9.0·10 ⁻⁹	8.06
Cd ₃ (AsO ₄) ₂	2.2·10 ⁻³³	32.66
Cd(BO ₂) ₂	2.3·10 ⁻⁹	8.64
Cd(CN) ₂	1.0·10 ⁻⁸	8.0
CdCO ₃	1.0·10 ⁻¹²	12.0
CdC ₂ O ₄	1.5·10 ⁻⁸	7.8
Cd ₂ Fe(CN) ₆	4.2·10 ⁻¹⁸	17.38
Cd(NH ₃) ₆ (BF ₄) ₂	2·10 ⁻⁶	5.7
Cd(OH) ₂ (Cd ²⁺ , 2OH ⁻ , свежесажженная)	2.2·10 ⁻¹⁴	13.66
Cd(OH) ₂ (Cd ²⁺ , 2OH ⁻ , после старения)	5.9·10 ⁻¹⁵	14.23
Cd(OH) ₂ (H ⁺ , HCdO ₂ ⁻)	2·10 ⁻¹⁹	18.7
CdS	1.6·10 ⁻²⁸	27.8
CdSeO ₃	5.0·10 ⁻⁹	8.30
CdWO ₄	2·10 ⁻⁶	5.7
Ce ₂ (C ₂ O ₄) ₃	2.5·10 ⁻²⁹	28.60
Ce(IO ₃) ₃	3.2·10 ⁻¹⁰	9.50
Ce(IO ₃) ₄	5·10 ⁻¹⁷	16.3
Ce(OH) ₃	4·10 ⁻²⁵	24.40
CeO ₂ (CeO ²⁺ , 2OH ⁻)	1·10 ⁻²⁴	24.0
CeO ₂ (Ce ⁴⁺ , 4OH ⁻)	1.6·10 ⁻⁵⁵	54.8
Ce ₂ (SeO ₃) ₃	3.75·10 ⁻²⁵	24.43
Co ₃ (AsO ₄) ₂	7.6·10 ⁻²⁹	28.12
Co(BO ₂) ₂	3.2·10 ⁻⁹	8.5
CoCO ₃	1.05·10 ⁻¹⁰	9.98
CoC ₂ O ₄	6.3·10 ⁻⁸	7.2
Co ₂ Fe(CN) ₆	4.8·10 ⁻³⁸	37.32
CoHg(SCN) ₄ (Co ²⁺ , Hg(SCN) ₄ ²⁻)	1.5·10 ⁻⁶	5.82
Co(IO ₃) ₂	1.0·10 ⁻⁴	4.0
Co(NH ₃) ₆ (BF ₄) ₂	4·10 ⁻⁶	5.4
Co(NH ₃) ₆ (ReO ₄) ₃	1.7·10 ⁻¹²	11.77
Co(OH) ₂ (голубая)	6.3·10 ⁻¹⁵	14.20
Co(OH) ₂ (розовая, свежесажженная)	1.6·10 ⁻¹⁵	14.80
Co(OH) ₂ (розовая, после старения)	2.0·10 ⁻¹⁶	15.70
Co(OH) ₃	4·10 ⁻⁴⁵	44.4
CoS α	4.0·10 ⁻²¹	20.40
CoS β	2.0·10 ⁻²⁵	24.70
CoSeO ₃	1.6·10 ⁻⁷	6.8
CrAsO ₄	7.8·10 ⁻²¹	20.11
Cr(NH ₃) ₆ (BF ₄) ₃	6.2·10 ⁻⁵	4.21
Cr(NH ₃) ₆ (MnO ₄) ₃	4.0·10 ⁻⁸	7.40
Cr(NH ₃) ₆ (ReO ₄) ₃	7.7·10 ⁻¹²	11.11
Cr(NH ₃) ₆ (SO ₃ F) ₃	4.3·10 ⁻⁴	3.9
Cr(OH) ₂	1.0·10 ⁻¹⁷	17.0
Cr(OH) ₃ (Cr ³⁺ , 3OH ⁻)	6.3·10 ⁻³¹	30.20
Cr(OH) ₃ (CrOH ²⁺ , 2OH ⁻)	7.9·10 ⁻²¹	20.10
Cr(OH) ₃ (H ⁺ , H ₂ CrO ₃ ⁻)	4.0·10 ⁻¹⁵	14.4
CrPO ₄ (фиолетовый)	1.0·10 ⁻¹⁷	17.00
CrPO ₄ (зеленый)	2.4·10 ⁻²³	22.62
CsAuCl ₄ (Cs ⁺ , AuCl ₄ ⁻)	1·10 ⁻³	3

CsBF₄ (Cs⁺, BF₄⁻)	2·10 ⁻⁵	4.7
CsBH₄ (Cs⁺, BH₄⁻)	2.5·10 ⁻⁷	6.6
CsBrO₃	2·10 ⁻²	1.7
CsClO₃	4·10 ⁻²	1.4
CsClO₄	4·10 ⁻³	2.4
Cs₃Co(NO₂)₆ (3Cs⁺, Co(NO₂)₆³⁻)	5.8·10 ⁻¹⁶	15.24
CsHgCl₃ (Cs⁺, HgCl₃⁻)	2·10 ⁻³	2.7
CsIO₃	1.0·10 ⁻²	2.0
CsIO₄	4.4·10 ⁻³	2.36
CsMnO₄	9.1·10 ⁻⁵	4.08
Cs₂PtCl₆	3·10 ⁻⁸	7.5
Cs₂PtF₆	2.4·10 ⁻⁶	5.62
CsReO₄	4.0·10 ⁻⁴	3.40
Cs₂SiF₆	1.3·10 ⁻⁵	4.89
Cs₂SnCl₆ (2Cs⁺, SnCl₆²⁻)	3.6·10 ⁻⁸	7.44
Cu₃(AsO₄)₂	7.6·10 ⁻³⁶	35.12
CuBr	5.25·10 ⁻⁹	8.28
CuCN	3.2·10 ⁻²⁰	19.49
CuCO₃	2.5·10 ⁻¹⁰	9.6
CuC₂O₄	3·10 ⁻⁸	7.5
CuCl	1.2·10 ⁻⁶	5.92
CuCrO₄	3.6·10 ⁻⁶	5.44
Cu₂Fe(CN)₆	1.3·10 ⁻¹⁶	15.89
CuI	1.1·10 ⁻¹²	11.96
Cu(IO₃)₂	7.4·10 ⁻⁸	7.13
CuN₃	5.0·10 ⁻⁹	8.3
Cu₂O (2Cu⁺, 2OH⁻)	1·10 ⁻¹⁴	14.0
Cu(OH)₂ (Cu²⁺, 2OH⁻)	2.2·10 ⁻²⁰	19.66
Cu(OH)₂ (CuOH⁺, OH⁻)	2.2·10 ⁻¹³	12.66
Cu(OH)₂ (H⁺, HCuO₂⁻)	1·10 ⁻¹⁹	19.0
Cu₂(OH)₂CO₃ (малахит)	1.7·10 ⁻³⁴	33.76
Cu₂(OH)₂CO₃ (азурит)	1.1·10 ⁻⁴⁶	45.96
Cu₂P₂O₇	8.3·10 ⁻¹⁶	15.08
CuS	6.3·10 ⁻³⁶	35.20
Cu₂S	2.5·10 ⁻⁴⁸	47.60
CuSCN	4.8·10 ⁻¹⁵	14.32
CuSe	1·10 ⁻⁴⁹	49
CuSeO₃	1.7·10 ⁻⁸	7.78
CuWO₄	1·10 ⁻⁵	5
FeAsO₄	5.8·10 ⁻²¹	20.24
FeCO₃	3.5·10 ⁻¹¹	10.46
FeC₂O₄	2·10 ⁻⁷	6.7
Fe₄[Fe(CN)₆]₃	3.0·10 ⁻⁴¹	40.52
Fe(OH)₂ (Fe²⁺, 2OH⁻)	8·10 ⁻¹⁶	15.1
Fe(OH)₂ (FeOH⁺, OH⁻)	3·10 ⁻¹⁰	9.5
Fe(OH)₂ (H⁺, HFeO₂⁻)	8·10 ⁻²⁰	19.1
Fe(OH)₃ (Fe³⁺, 3OH⁻, свежесажженная)	6.3·10 ⁻³⁸	37.2
Fe(OH)₃ (Fe³⁺, 3OH⁻, после старения)	6.3·10 ⁻³⁹	38.2
Fe(OH)₃ (Fe(OH)₂⁺, OH⁻)	1·10 ⁻¹⁷	17.0
Fe(OH)₃ (FeOH²⁺, 2OH⁻)	5·10 ⁻²⁷	26.3
FePO₄	1.3·10 ⁻²²	21.89
FeS	5·10 ⁻¹⁸	17.3
FeS₂ (Fe²⁺, S₂²⁻)	6.3·10 ⁻³¹	30.2

FeSe	$1 \cdot 10^{-26}$	26
Fe ₂ (SeO ₃) ₃	$2 \cdot 10^{-31}$	30.7
Ga ₄ [Fe(CN) ₆] ₃	$1.5 \cdot 10^{-34}$	33.82
Ga(OH) ₃ (Ga ³⁺ , 3OH ⁻)	$1.6 \cdot 10^{-37}$	36.8
Ga(OH) ₃ (H ⁺ , H ₂ GaO ₃ ⁻)	$2.5 \cdot 10^{-11}$	10.6
GeO ₂ (Ge ⁴⁺ , 4OH ⁻)	$1 \cdot 10^{-57}$	57
GeS	$3 \cdot 10^{-35}$	34.5
HfO(OH) ₂ (HfO ²⁺ , 2OH ⁻)	$4 \cdot 10^{-26}$	25.4
Hg ₂ Br ₂ (Hg ₂ ²⁺ , 2Br ⁻)	$5.8 \cdot 10^{-23}$	22.24
Hg ₂ CO ₃ (Hg ₂ ²⁺ , CO ₃ ²⁻)	$8.9 \cdot 10^{-17}$	16.05
Hg ₂ C ₂ O ₄ (Hg ₂ ²⁺ , C ₂ O ₄ ²⁻)	$1 \cdot 10^{-13}$	13
Hg ₂ Cl ₂ (Hg ₂ ²⁺ , 2Cl ⁻)	$1.3 \cdot 10^{-18}$	17.88
Hg ₂ CrO ₄ (Hg ₂ ²⁺ , CrO ₄ ²⁻)	$5.0 \cdot 10^{-9}$	8.70
Hg ₂ I ₂ (Hg ₂ ²⁺ , 2I ⁻)	$4.5 \cdot 10^{-29}$	28.35
Hg ₂ (IO ₃) ₂ (Hg ₂ ²⁺ , 2IO ₃ ⁻)	$2.45 \cdot 10^{-14}$	13.71
Hg ₂ HPO ₄ (Hg ₂ ²⁺ , HPO ₄ ⁻)	$4.0 \cdot 10^{-13}$	12.40
Hg ₂ O (Hg ₂ ²⁺ , 2OH ⁻)	$1.6 \cdot 10^{-23}$	22.8
HgO (Hg ²⁺ , 2Br ⁻)	$3.0 \cdot 10^{-26}$	25.52
HgS (черный)	$1.6 \cdot 10^{-52}$	51.8
HgS (красный)	$4.0 \cdot 10^{-53}$	52.40
Hg ₂ S (Hg ₂ ²⁺ , S ²⁻)	$1 \cdot 10^{-47}$	47
Hg ₂ (SCN) ₂ (Hg ₂ ²⁺ , 2SCN ⁻)	$3.0 \cdot 10^{-20}$	19.52
Hg ₂ SO ₃ (Hg ₂ ²⁺ , SO ₃ ²⁻)	$1 \cdot 10^{-27}$	27
Hg ₂ SO ₄ (Hg ₂ ²⁺ , SO ₄ ²⁻)	$6.8 \cdot 10^{-7}$	6.17
HgSe	$1 \cdot 10^{-59}$	59
Hg ₂ SeO ₃ (Hg ₂ ²⁺ , SeO ₃ ²⁻)	$6.3 \cdot 10^{-15}$	14.2
Hg ₂ WO ₄ (Hg ₂ ²⁺ , WO ₄ ²⁻)	$1.1 \cdot 10^{-17}$	16.96
In ₄ [Fe(CN) ₆] ₃	$1.9 \cdot 10^{-44}$	43.72
In(IO ₃) ₃	$3 \cdot 10^{-3}$	2.5
In(OH) ₃ (In ³⁺ , 3OH ⁻)	$5 \cdot 10^{-34}$	33.3
In(OH) ₃ (In(OH) ₂ ²⁺ , 2OH ⁻)	$4 \cdot 10^{-24}$	23.4
In(OH) ₃ (H ⁺ , H ₂ InO ₃ ⁻)	$1 \cdot 10^{-16}$	16
In ₂ S ₃	$5.75 \cdot 10^{-74}$	73.24
IrO ₂ (Ir ⁴⁺ , 4OH ⁻)	$1.6 \cdot 10^{-72}$	71.8
Ir ₂ O ₃ (2Ir ³⁺ , 6OH ⁻)	$2 \cdot 10^{-48}$	47.7
IrS ₂	$1 \cdot 10^{-75}$	75
K ₃ AlF ₆ (3K ⁺ , AlF ₆ ³⁻)	$1.6 \cdot 10^{-9}$	8.80
KBF ₄ (K ⁺ , BF ₄ ⁻)	$2 \cdot 10^{-3}$	2.7
KBH ₄ (K ⁺ , BH ₄ ⁻)	$1.3 \cdot 10^{-3}$	2.7
K(C ₆ H ₅) ₄ B (K ⁺ , (C ₆ H ₅) ₄ B ⁻)	$2.25 \cdot 10^{-8}$	7.65
KClO ₄	$1.1 \cdot 10^{-2}$	1.97
K ₃ Co(NO ₂) ₆ (3K ⁺ , Co(NO ₂) ₆ ³⁻)	$4.3 \cdot 10^{-10}$	9.37
K ₂ Cu ₂ Fe(CN) ₆	$2.2 \cdot 10^{-27}$	26.66
K ₂ GeF ₆ (2K ⁺ , GeF ₆ ²⁻)	$3.0 \cdot 10^{-5}$	4.52
K ₂ HfF ₆ (2K ⁺ , HfF ₆ ²⁻)	$2 \cdot 10^{-3}$	2.7
K ₂ IrCl ₆ (2K ⁺ , IrCl ₆ ²⁻)	$6.8 \cdot 10^{-5}$	4.17
KIO ₄	$8.3 \cdot 10^{-4}$	3.08
K ₂ NaCo(NO ₂) ₆ (2K ⁺ , Na ⁺ , Co(NO ₂) ₆ ³⁻)	$2.2 \cdot 10^{-11}$	10.66
K ₂ PdCl ₄ (2K ⁺ , PdCl ₄ ²⁻)	$1.6 \cdot 10^{-5}$	4.9
K ₂ PdCl ₆ (2K ⁺ , PdCl ₆ ²⁻)	$6.0 \cdot 10^{-6}$	5.2
K ₂ PtCl ₄ (2K ⁺ , PtCl ₄ ²⁻)	$8 \cdot 10^{-3}$	2.1
K ₂ PtCl ₆ (2K ⁺ , PtCl ₆ ²⁻)	$1.1 \cdot 10^{-5}$	4.96
K ₂ PtF ₆ (2K ⁺ , PtF ₆ ²⁻)	$2.9 \cdot 10^{-5}$	4.54

KReO₄	$1.9 \cdot 10^{-3}$	2.72
K₂SiF₆	$8.7 \cdot 10^{-7}$	6.06
K₂TiF₆ (2K⁺, TiF₆²⁻)	$5 \cdot 10^{-4}$	3.3
K₂ZrF₆ (2K⁺, ZrF₆²⁻)	$5 \cdot 10^{-4}$	3.3
La(BrO₃)₃	$3 \cdot 10^{-3}$	2.5
La₂(CO₃)₃	$4 \cdot 10^{-34}$	33.4
La₂(C₂O₄)₃	$1 \cdot 10^{-25}$	25.0
La(IO₃)₃	$6.2 \cdot 10^{-12}$	11.21
La₂(MoO₄)₃	$2.2 \cdot 10^{-21}$	20.66
La(OH)₃ (свежеосажденная)	$6.5 \cdot 10^{-20}$	19.19
La(OH)₃ (после старения)	$1.3 \cdot 10^{-21}$	20.89
La₂S₃	$2.0 \cdot 10^{-13}$	12.70
La₂(SO₄)₃	$3 \cdot 10^{-5}$	4.5
Li₂CO₃	$4.0 \cdot 10^{-3}$	2.40
LiF	$1.7 \cdot 10^{-3}$	2.77
LiOH	$4 \cdot 10^{-2}$	1.4
Li₃PO₄	$3.2 \cdot 10^{-9}$	8.5
Mg₃(AsO₄)₂	$2.1 \cdot 10^{-20}$	19.68
MgCO₃	$2.1 \cdot 10^{-5}$	4.67
MgC₂O₄	$8.5 \cdot 10^{-5}$	4.07
MgF₂	$6.5 \cdot 10^{-9}$	8.19
Mg(IO₃)₂	$3 \cdot 10^{-3}$	2.5
MgK₂Fe(CN)₆	$5 \cdot 10^{-9}$	8.3
Mg(NH₄)₂Fe(CN)₆	$4 \cdot 10^{-8}$	7.4
MgNH₄PO₄	$2.5 \cdot 10^{-13}$	12.6
Mg(OH)₂ (свежеосажденная)	$6.0 \cdot 10^{-10}$	9.22
Mg(OH)₂ (Mg²⁺, 2OH⁻, после старения)	$7.1 \cdot 10^{-12}$	11.15
Mg(OH)₂ (MgOH⁺, OH⁻, после старения)	$2.7 \cdot 10^{-9}$	8.57
Mg₃(PO₄)₂	$1 \cdot 10^{-13}$	13.0
MgSO₃	$3 \cdot 10^{-3}$	2.5
MgSeO₃	$4.4 \cdot 10^{-6}$	5.36
Mn₃(AsO₄)₂	$1.9 \cdot 10^{-29}$	28.72
MnCO₃	$1.8 \cdot 10^{-11}$	10.74
MnC₂O₄	$5 \cdot 10^{-6}$	5.3
Mn₂Fe(CN)₆	$7.9 \cdot 10^{-13}$	12.10
MnNH₄PO₄	$1 \cdot 10^{-12}$	12
Mn(OH)₂ (Mn²⁺, 2OH⁻)	$1.9 \cdot 10^{-13}$	12.72
Mn(OH)₂ (MnOH⁺, OH⁻)	$1.5 \cdot 10^{-9}$	8.82
Mn(OH)₂ (H⁺, HMnO₂⁻)	$1 \cdot 10^{-19}$	19.0
Mn(OH)₃	$1 \cdot 10^{-36}$	36
Mn(OH)₄	$1 \cdot 10^{-56}$	56
MnS (телесного цвета)	$2.5 \cdot 10^{-10}$	9.60
MnS (зеленый)	$2.5 \cdot 10^{-13}$	12.60
MnSeO₃	$5.4 \cdot 10^{-8}$	7.27
Mo(OH)₄	$1 \cdot 10^{-50}$	50
(NH₄)₃AlF₆ (3NH₄⁺, AlF₆⁻)	$1.6 \cdot 10^{-3}$	2.80
(NH₄)₃Co(NO₂)₆ (3NH₄⁺, Co(NO₂)₆³⁻)	$7.6 \cdot 10^{-6}$	5.12
(NH₄)₂IrCl₆	$3 \cdot 10^{-5}$	4.5
(NH₄)₂PtCl₆	$9 \cdot 10^{-6}$	5.05
Na₃AlF₆	$4.1 \cdot 10^{-10}$	9.39
Na₂BeF₄	$7 \cdot 10^{-3}$	2.15
NaIO₄	$3 \cdot 10^{-3}$	2.5
NaSb(OH)₆ (Na⁺, Sb(OH)₆⁻)	$4 \cdot 10^{-8}$	7.4

Na_2SiF_6	$2.8 \cdot 10^{-4}$	3.56
$\text{Ni}_3(\text{AsO}_4)_2$	$3.1 \cdot 10^{-26}$	25.51
$\text{Ni}(\text{BO}_2)_2$	$2 \cdot 10^{-9}$	8.7
$\text{Ni}(\text{C}_4\text{H}_7\text{O}_2\text{N}_2)_2$ (диметилглиоксимат)	$2.3 \cdot 10^{-25}$	24.64
$\text{Ni}(\text{CN})_2$	$3 \cdot 10^{-23}$	22.5
NiCO_3	$1.3 \cdot 10^{-7}$	6.87
NiC_2O_4	$4 \cdot 10^{-10}$	9.4
$\text{Ni}(\text{ClO}_3)_2$	$1 \cdot 10^{-4}$	4
$\text{Ni}_2\text{Fe}(\text{CN})_6$	$1.3 \cdot 10^{-15}$	14.89
$\text{Ni}(\text{IO}_3)_2$	$1.4 \cdot 10^{-8}$	7.85
$\text{Ni}(\text{NH}_3)_6(\text{BF}_4)_2$	$1 \cdot 10^{-6}$	6
$\text{Ni}(\text{NH}_3)_6(\text{ReO}_4)_2$	$5.1 \cdot 10^{-4}$	3.29
$\text{Ni}(\text{OH})_2$ (свежеосажденная)	$2.0 \cdot 10^{-15}$	14.89
$\text{Ni}(\text{OH})_2$ (после старения)	$6.3 \cdot 10^{-18}$	17.20
$\text{Ni}_2\text{P}_2\text{O}_7$	$1.7 \cdot 10^{-13}$	12.77
$\text{NiS } \alpha$	$3.2 \cdot 10^{-19}$	18.50
$\text{NiS } \beta$	$1 \cdot 10^{-24}$	24.0
$\text{NiS } \gamma$	$2.0 \cdot 10^{-26}$	25.70
NiSeO_3	$1.0 \cdot 10^{-5}$	5.0
NpO_2 (NpO_2^{2+} , 2OH^-)	$2.5 \cdot 10^{-22}$	21.6
$\text{Pb}_3(\text{AsO}_4)_2$	$4.1 \cdot 10^{-36}$	35.39
$\text{Pb}(\text{BO}_2)_2$	$1.7 \cdot 10^{-11}$	10.78
PbBr_2	$9.1 \cdot 10^{-6}$	5.04
$\text{Pb}(\text{BrO}_3)_2$	$8.0 \cdot 10^{-6}$	5.10
PbCO_3	$7.5 \cdot 10^{-14}$	13.13
PbC_2O_4	$4.8 \cdot 10^{-10}$	9.32
PbCl_2	$1.6 \cdot 10^{-5}$	4.79
PbClF	$2.8 \cdot 10^{-9}$	8.55
PbCrO_4	$1.8 \cdot 10^{-14}$	13.75
PbF_2	$2.7 \cdot 10^{-8}$	7.57
$\text{Pb}_2\text{Fe}(\text{CN})_6$	$9.55 \cdot 10^{-19}$	18.02
PbI_2	$1.1 \cdot 10^{-9}$	8.98
$\text{Pb}(\text{IO}_3)_2$	$2.6 \cdot 10^{-13}$	12.58
PbMoO_4	$4.0 \cdot 10^{-6}$	5.4
$\text{Pb}(\text{N}_3)_2$	$2.6 \cdot 10^{-9}$	8.59
PbO_2 (Pb^{4+} , 4OH^-)	$3.0 \cdot 10^{-66}$	65.5
Pb_2O_4 (2Pb^{2+} , PbO_4^{4-})	$5.3 \cdot 10^{-51}$	50.28
$\text{Pb}(\text{OH})_2$ (Pb^{2+} , 2OH^-) (красный)	$5 \cdot 10^{-16}$	15.3
$\text{Pb}(\text{OH})_2$ (Pb^{2+} , 2OH^-) (желтый)	$7.9 \cdot 10^{-16}$	15.1
PbO_2 (PbOH^+ , OH^-)	$6.3 \cdot 10^{-9}$	8.2
PbO_2 (H^+ , HPbO_2^-)	$3.2 \cdot 10^{-16}$	15.5
PbOHBr	$2 \cdot 10^{-15}$	14.7
$\text{Pb}_2(\text{OH})_2(\text{CO}_3)_2$	$3.5 \cdot 10^{-46}$	45.46
PbOHCl	$2 \cdot 10^{-14}$	13.7
$\text{Pb}_3(\text{PO}_4)_2$	$7.9 \cdot 10^{-43}$	42.10
$\text{Pb}_5(\text{PO}_4)_3\text{Cl}$	$7.5 \cdot 10^{-80}$	79.12
PbPO_3F	$1 \cdot 10^{-7}$	7.0
PbS	$2.5 \cdot 10^{-27}$	26.60
$\text{Pb}(\text{SCN})_2$	$2.0 \cdot 10^{-5}$	4.70
PbSO_4	$1.6 \cdot 10^{-8}$	7.80
PbS_2O_3	$4.0 \cdot 10^{-7}$	6.40
PbSe	$1 \cdot 10^{-38}$	38
PbSeO_3	$3 \cdot 10^{-12}$	11.5

PbSeO ₄	1.45·10 ⁻⁷	6.84
PbWO ₄	4.5·10 ⁻⁷	6.35
Pd(OH) ₂	1·10 ⁻³¹	31
Pd(OH) ₄	6.5·10 ⁻⁷¹	70.2
PoS	5·10 ⁻²⁹	28.3
Po(SO ₄) ₂	2.6·10 ⁻⁷	6.58
PtBr ₄	3·10 ⁻⁴¹	40.5
PtCl ₄	8.0·10 ⁻²⁹	28.1
PtO ₂ (Pt ⁴⁺ , 4OH ⁻)	1.6·10 ⁻⁷²	71.8
Pt(OH) ₂	1·10 ⁻³⁵	35
PtS	8·10 ⁻⁷³	72.1
Pu(IO ₃) ₄	5·10 ⁻¹³	12.3
PuO ₂ CO ₃	1.7·10 ⁻¹³	12.77
Pu(OH) ₃	2·10 ⁻²⁰	19.7
Pu(OH) ₄	1·10 ⁻⁵²	52
PuO ₂ OH (PuO ₂ ⁺ , OH ⁻)	5·10 ⁻¹⁰	9.3
PuO ₂ (OH) ₂ (PuO ₂ ²⁺ , 2OH ⁻)	3.2·10 ⁻²¹	20.5
Ra(IO ₃) ₂	8.8·10 ⁻¹⁰	9.06
Ra(NO ₃) ₂	6.2·10 ⁻³	2.21
RaSO ₄	4.3·10 ⁻¹¹	10.37
RbBF ₄	1·10 ⁻³	3.0
RbBH ₄	2.5·10 ⁻⁴	3.6
RbBrO ₃	2·10 ⁻²	1.7
RbClO ₄	2.5·10 ⁻³	2.6
Rb ₃ Co(NO ₂) ₆ (3Rb ⁺ , Co(NO ₂) ₆ ³⁻)	1.48·10 ⁻¹⁵	14.83
RbIO ₄	5.5·10 ⁻⁴	3.26
RbMnO ₄	2.9·10 ⁻³	2.54
Rb ₂ PtCl ₆ (2Rb ⁺ , PtCl ₆ ²⁻)	9·10 ⁻⁸	7.2
Rb ₂ PtF ₆ (2Rb ⁺ , PtF ₆ ²⁻)	7.6·10 ⁻⁷	6.12
RbReO ₄	9.6·10 ⁻⁴	3.02
Rb ₂ SiF ₆	5·10 ⁻⁷	6.3
Rb ₂ TiF ₆	5.5·10 ⁻⁵	4.26
Rh ₂ O ₃ (Rh ³⁺ , 3OH ⁻)	2·10 ⁻⁴⁸	47.7
Ru ₂ O ₃ (Ru ³⁺ , 3OH ⁻)	1·10 ⁻³⁸	38
Ru(OH) ₄	1·10 ⁻⁴⁹	49
Sb ₂ O ₃ (Sb ³⁺ , 3OH ⁻)	4·10 ⁻⁴²	41.4
Sb ₂ O ₃ (SbO ⁺ , OH ⁻)	7.9·10 ⁻¹⁸	17.1
Sb ₂ O ₃ (H ⁺ , H ₂ SbO ₃ ⁻)	1.3·10 ⁻¹²	11.9
Sc(OH) ₃	2·10 ⁻³⁰	29.7
SnI ₂	8.3·10 ⁻⁶	5.08
Sn(OH) ₂ (Sn ²⁺ , 2OH ⁻)	6.3·10 ⁻²⁷	26.20
Sn(OH) ₂ (SnOH ⁺ , OH ⁻)	4.6·10 ⁻¹⁵	14.34
Sn(OH) ₂ (H ⁺ , HSnO ₂ ⁻)	1.3·10 ⁻¹⁵	14.9
Sn(OH) ₄	1·10 ⁻⁵⁷	57
SnS	2.5·10 ⁻²⁷	26.6
Sr ₃ (AsO ₄) ₂	1.3·10 ⁻¹⁸	17.1
SrCO ₃	1.1·10 ⁻¹⁰	9.96
SrC ₂ O ₄	1.6·10 ⁻⁷	6.80
SrCrO ₄	3.6·10 ⁻⁵	4.44
SrF ₂	2.5·10 ⁻⁹	8.61
Sr(IO ₃) ₂	3.3·10 ⁻⁷	6.48
SrMoO ₄	2·10 ⁻⁷	6.7
Sr(OH) ₂	3.2·10 ⁻⁴	3.50

$\text{Sr}_3(\text{PO}_4)_2$	$1 \cdot 10^{-31}$	31
SrPO_3F	$3 \cdot 10^{-3}$	2.5
SrSO_3	$4 \cdot 10^{-8}$	7.4
SrSO_4	$3.2 \cdot 10^{-7}$	6.49
SrSeO_3	$4.4 \cdot 10^{-6}$	5.36
SrSiF_6	$1.5 \cdot 10^{-2}$	1.82
SrWO_4	$2.2 \cdot 10^{-10}$	9.77
$\text{Te}(\text{OH})_4$	$2 \cdot 10^{-58}$	57.7
$\text{Th}(\text{C}_2\text{O}_4)_2$	$1.1 \cdot 10^{-25}$	24.96
$\text{Th}(\text{IO}_3)_4$	$2.5 \cdot 10^{-15}$	14.6
$\text{Th}(\text{OH})_4 (\text{Th}^{4+}, 4\text{OH}^-)$	$3.2 \cdot 10^{-45}$	44.5
$\text{Th}(\text{OH})_4 (\text{Th}(\text{OH})_3^+, \text{OH}^-)$	$3.2 \cdot 10^{-16}$	15.5
$\text{Th}_3(\text{PO}_4)_4$	$2.6 \cdot 10^{-79}$	78.59
$\text{Th}(\text{SO}_4)_2$	$4 \cdot 10^{-3}$	2.4
$\text{Ti}(\text{OH})_4 (\text{Ti}^{4+}, 4\text{OH}^-)$	$8 \cdot 10^{-54}$	53.10
$\text{Ti}(\text{OH})_4 (\text{TiO}^{2+}, 2\text{OH}^-)$	$1 \cdot 10^{-29}$	29
TlBr	$3.9 \cdot 10^{-6}$	5.41
TlBrO_3	$1.7 \cdot 10^{-4}$	3.78
Tl_2CO_3	$4 \cdot 10^{-3}$	2.4
$\text{Tl}_2\text{C}_2\text{O}_4$	$2 \cdot 10^{-4}$	3.7
TlCl	$1.7 \cdot 10^{-4}$	3.76
TlClO_4	$4 \cdot 10^{-2}$	1.4
$\text{Tl}_3\text{Co}(\text{NO}_2)_6 (3\text{Tl}^+, \text{Co}(\text{NO}_2)_6^{3-})$	$1.0 \cdot 10^{-16}$	16.0
Tl_2CrO_4	$9.8 \cdot 10^{-13}$	12.0
$\text{Tl}_4\text{Fe}(\text{CN})_6$	$5 \cdot 10^{-10}$	9.3
TlI	$5.75 \cdot 10^{-8}$	7.24
TlIO_3	$3.1 \cdot 10^{-6}$	5.51
TlI_3	$2.2 \cdot 10^{-4}$	3.66
$\text{Tl}(\text{OH})_3$	$6.3 \cdot 10^{-46}$	45.20
Tl_3PO_4	$6.7 \cdot 10^{-8}$	7.18
Tl_2PtCl_6	$4 \cdot 10^{-12}$	11.4
TlReO_4	$1.2 \cdot 10^{-5}$	4.92
Tl_2S	$5.0 \cdot 10^{-21}$	20.30
TlSCN	$1.7 \cdot 10^{-4}$	3.77
Tl_2SO_3	$6.3 \cdot 10^{-4}$	3.2
Tl_2SO_4	$4 \cdot 10^{-3}$	2.4
$\text{Tl}_2\text{S}_2\text{O}_3$	$2.0 \cdot 10^{-7}$	6.70
TlVO_3	$5.5 \cdot 10^{-9}$	8.26
$\text{Tl}_4\text{V}_2\text{O}_7$	$2.6 \cdot 10^{-19}$	18.59
UO_2CO_3	$1.9 \cdot 10^{-12}$	11.73
$\text{UO}_2\text{C}_2\text{O}_4$	$2 \cdot 10^{-4}$	3.7
$(\text{UO}_2)_2\text{Fe}(\text{CN})_6$	$7.1 \cdot 10^{-14}$	13.15
$\text{UO}_2\text{HAsO}_4 (\text{UO}_2^{2+}, \text{HAsO}_4^{2-})$	$3.2 \cdot 10^{-11}$	10.50
$\text{UO}_2\text{HPO}_4 (\text{UO}_2^{2+}, \text{HPO}_4^{2-})$	$2.14 \cdot 10^{-11}$	10.67
$\text{UO}_2(\text{IO}_3)_2$	$3 \cdot 10^{-8}$	7.5
UO_2KAsO_4	$2.5 \cdot 10^{-23}$	22.60
UO_2KPO_4	$7.8 \cdot 10^{-24}$	23.11
$\text{UO}_2\text{NH}_4\text{AsO}_4$	$1.7 \cdot 10^{-24}$	23.77
$\text{UO}_2\text{NH}_4\text{PO}_4$	$4.4 \cdot 10^{-27}$	26.36
$\text{UO}_2\text{NaAsO}_4$	$1.3 \cdot 10^{-22}$	21.87
$\text{U}(\text{OH})_3$	$1 \cdot 10^{-19}$	19.0
$\text{U}(\text{OH})_4$	$1 \cdot 10^{-45}$	45.0
$\text{UO}_2(\text{OH})_2 (\text{UO}_2^{2+}, 2\text{OH}^-)$	$1 \cdot 10^{-22}$	22.0

VO(OH)_2	$7.4 \cdot 10^{-23}$	22.13
$\text{V}_2\text{O}_5 (\text{VO}_2^+, \text{OH}^-)$	$1.6 \cdot 10^{-15}$	14.8
$(\text{VO}_3)(\text{PO}_4)_2$	$8 \cdot 10^{-25}$	24.1
W(OH)_4	$1 \cdot 10^{-50}$	50.0
Y(OH)_3	$3.2 \cdot 10^{-25}$	24.5
$\text{Zn}_3(\text{AsO}_4)_3$	$1.3 \cdot 10^{-27}$	27.89
Zn(CN)_2	$2.6 \cdot 10^{-13}$	12.59
ZnCO_3	$1.45 \cdot 10^{-11}$	10.84
ZnC_2O_4	$2.75 \cdot 10^{-8}$	7.56
$\text{Zn}_2\text{Fe(CN)}_6$	$2.1 \cdot 10^{-16}$	15.68
$\text{ZnHg(SCN)}_4 (\text{Zn}^{2+}, \text{Hg(SCN)}_4^{2-})$	$2.2 \cdot 10^{-7}$	6.66
$\text{Zn(IO}_3)_2$	$2.0 \cdot 10^{-8}$	7.7
$\text{Zn(OH)}_2 (\text{Zn}^{2+}, 2\text{OH}^-)$	$1.2 \cdot 10^{-17}$	16.92
$\text{Zn(OH)}_2 (\text{ZnOH}^+, \text{OH}^-)$	$3.0 \cdot 10^{-13}$	12.52
$\text{Zn}_3(\text{PO}_4)_2$	$9.1 \cdot 10^{-33}$	32.04
$\text{ZnS } \alpha$ (сфалерит)	$1.6 \cdot 10^{-24}$	23.80
$\text{ZnS } \beta$ (вюрцит)	$2.5 \cdot 10^{-22}$	21.60
ZnSe	$1 \cdot 10^{-31}$	31
ZnSeO_3	$1.9 \cdot 10^{-8}$	7.72
$\text{Zr(OH)}_4 (\text{Zr}^{4+}, 4\text{OH}^-)$	$1 \cdot 10^{-52}$	52.0
$\text{Zr(OH)}_4 (\text{Zr(OH)}_2^{2+}, 2\text{OH}^-)$	$3.2 \cdot 10^{-26}$	25.5
$\text{Zr}_3(\text{PO}_4)_4$	$1 \cdot 10^{-132}$	132