

### Individual assignment No 3

1. A small, high-speed turbine operating on compressed air produces a power output of  $(100+N)$  W. The inlet state is  $(400+N)$  kPa  $(100+5\cdot N)$  °C, and the exit state is  $(100+N)$  kPa. Assuming the velocities to be low and the process to be adiabatic, find the required mass flow rate of air through the turbine.
2. A monatomic gas is contained in a cylinder with a movable piston. Initially it has a volume  $V_0$ , pressure  $P_0$  and temperature  $T_0$ . A weight is placed on the piston, and the gas is compressed adiabatically to a pressure  $10P_0$ . What is the final volume of the gas, and what is the final temperature? Express your answers in terms of  $V_0$  and  $T_0$ .
3. For the conditions from the previous task, define the technical work value of the compression process. Compare it to technical work spent for cases with isothermal compression and two-stage adiabatic compression with isobaric cooling to initial temperature  $T_0$ .
4. The volume of helium with the initial parameters (volume of  $(1+N/10)$  liters, pressure of  $10^5$  Pa, and temperature of  $(300+N)$  K) was decreased to  $(N/10)$  liters adiabatically. Then, the gas was cooled back to  $(300+N)$  K at this volume. Finally, it was expanded slowly to  $(N/5)$  liters in such way that the temperature of the gas remained constant at  $(300+N)$  K. These three processes, adiabatic-isochoric-isothermal, form a cycle (show it in the Figure). Calculate  $\Delta U$ ,  $Q$ ,  $W$  and  $\Delta S$  for each leg of the cycle, and for the whole cycle.